



“Provider of Superior Environmental Products & Services”

MATERIAL SAFETY DATA SHEET

SECTION I

PRODUCT AND PREPARATION INFORMATION

Trade Name: Solvent Spill Clean-Up Kit
Synonym: N/A
Product Code: SK-Solv
Chemical Name: Contains Haz-Mat Sorbent Sheets

MANUFACTURER

Can-Ross Environmental Services Ltd.
2270 South Service Road West
Oakville, ON L6L 5M9
Toll Free: 1-888-847-7190
Tel: (905) 847-7190 Fax: (905) 847-7175

SECTION II

HAZARDOUS INGREDIENTS

None of the contents of this Spill Kit are classified as hazardous products under the hazardous products act (WHMIS). The information in this document describes the Haz-Mat Universal sorbent sheets. They consist of a polypropylene fabric treated with a wetting agent.

SECTION III

PHYSICAL PROPERTIES

Appearance..... Yellow polypropylene non-woven fabric
Specific Gravity..... 0.90
Melting Point..... 160C

SECTION IV

FIRE AND EXPLOSION HAZARDS

Flammability..... Product will burn when exposed to open flame.
Hazardous Products
of Combustion..... Smoke, carbon dioxide, carbon monoxide
Means of Extinction..... Water spray, dry chemical, carbon dioxide
Explosion Data..... Not established
Flash Point..... 329C
Auto Ignition



“Provider of Superior Environmental Products & Services”

Temperature..... 357C (Setchkin)
LFL/UFL..... Not Applicable
Fire Fighting
Procedures..... Wear appropriate protective clothing.

SECTION V

HEALTH HAZARD AND FIRST AID DATA

Possible Routes of Entry:

Note: This product is non-toxic. Some individuals may develop an allergic response to the product after prolonged exposure.

Skin: No; Prolonged or repeated exposure to the fabric may cause a mild skin irritation in sensitive individuals. Wash any dust from skin using soap and water.

Eye: No; Avoid contact with eyes. May cause irritation. Flush with copious amounts of water.

Inhalation: No.

Ingestion: No; Not considered toxic by ingestion, but not designed for human consumption. Allergic responses may occur in sensitive individuals. Consult a physician.

SECTION VI

REACTIVITY DATA

This product is stable and non-reactive. It is incompatible with strong oxidizers, including hot or concentrated nitric and perchloric acids, fuming sulphuric acid at 60C and above, and liquid chlorine.

SECTION VII

SPILL AND LEAK PROCEDURES

N/A

DISCLAIMER

The information contained here is believed to be accurate. However, it is provided solely for the customer's consideration, investigation, and verification. Most of the information originates from suppliers of components and Can-Ross Environmental Services Ltd. specifically disclaims any and all warranties expressed or implied regarding the accuracy and completeness of such information.

EFFECTIVE: MAY 1, 2010 - MAY 1, 2013