

0

Eagle Manufacturing has offered affordable protection for warehouses, plants, factories, stores and other facilities for more than 20 years. From column protection to maintenance-free post-sleeves to ramps and dockplates, Eagle has the Compliance Solutions to help keep your facility protected. Our Material Handling products are designed to meet your specific needs, and are 100 percent made in the USA.





## Multiple products for Material Handling and Facility Protection:

- HDPE Bollard Post Sleeves
- Bollard Posts & Machine Guards
- Wall & Corner Protectors
- Protective Parking Stops
- Poly Guide-Post Delineators
- Safety Clearance Bars
- Decorative Post Sleeves
- Portable & Fixed Dockplates
- Column Protectors
- Lightweight Poly Curb Ramp
- Lightweight Shipping Container Ramp

### **GUARDS & PROTECTORS**


## Bollard Posts and Machine Guards

Bollard Posts add protection to your facility and prevent damage. Posts feature a durable baked-on powder coat in safety vellow to provide high visibility. Each post is made of 1/4 in. (.63 cm.) thick (Schedule 40 or Schedule 10) steel mounted on 3/8 in. (.95 cm.) steel plates, pre-drilled holes (3/4 in./1.9 cm.) for easy installation. The black HDPE post caps are included and can be removed to fill posts with concrete for extra protection.

### **Machine Guards**

Machine guards provide superior protection for facilities and equipment by creating barriers between traffic areas and your valuable machinery. Each guard is made of 1/8 in. (.32 cm.) thick Schedule 10 steel mounted on 3/8 in. (.95 cm.) steel plates, pre-drilled holes for easy installation.

Bollard Posts - Schedule 40 and Schedule 10							
Model	Description	Sched.	Dimensions (ht x dia)	Plate Size	Weight		
1742	4" Round Bollard Post	40	in: 24 x 4½ cm: 61 x 11.5	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	35 lbs./15.9 kg.		
174210	4" Round Bollard	10	in: 24 x 41/2 cm: 61 x 11.5	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	22 lbs./10 kg.		
1743	4" Round Bollard Post	40	in: 36 x 41/2 cm: 91.5 x 11.5	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	45 lbs./20.5 kg.		
174310	4" Round Bollard	10	in: 36 x 41/2 cm: 91.5 x 11.5	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	28 lbs./12.7 kg.		
1744	4" Round Bollard Post	40	in: 42 x 41/2 cm: 106.7 x 11.4	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	50 lbs./22.7 kg.		
174410	4" Round Bollard	10	in: 42 x 41/2 cm: 106.7 x 11.5	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	30 lbs./13.6 kg.		
1749	4" Round Post Cap	40	Dia: in: 5 cm: 12.7	NA	2 lbs./1 kg.		
1755	5" Round Bollard Post	40	in: 24 x 53/5 cm: 61 x 14.3	in: 10 x 10 x 3⁄8 cm: 25.4 x 25.4 x 1	45 lbs./20.5 kg.		
1756	5" Round Bollard Post	40	in: 36 x 5 3⁄5 cm: 91.5 x 14.3	in: 10 x 10 x 3 cm: 25.4 x 25.4 x 1	60 lbs./27.3 kg.		
1757	5" Round Bollard Post	40	in: 42 x 53/5 cm: 106.7 x 14.3	in: 10 x 10 x <sup>3</sup> / <sub>8</sub> cm: 25.4 x 25.4 x 1	67 lbs./30.4 kg.		
1758	5" Round Post Cap	40	Dia: in: 5% cm: 12.7	NA	2 lbs./1 kg.		
1752	5" Round Bollard Post	40	in: 24 x 5 cm: 61 x 12.7	in: 10 x 10 x <sup>3</sup> / <sub>8</sub> cm: 25.4 x 25.4 x 1	35 lbs./15.9 kg.		
1753	5" Round Bollard Post	40	in: 36 x 5 cm: 91.5 x 12.7	in: 10 x 10 x <sup>3</sup> / <sub>8</sub> cm: 25.4 x 25.4 x 1	47 lbs./21.4 kg.		
1754	5" Round Bollard Post	40	in: 42 x 5 cm: 106.7 x 12.7	in: 10 x 10 x <sup>3</sup> / <sub>8</sub> cm: 25.4 x 25.4 x 1	53 lbs./24.1 kg.		
1759	5" Round Post Cap	40	Square: in: 51/4 cm: 13.4	NA	2 lbs./1 kg.		
1763	6" Round Bollard Post	40	in: 36 x 6% cm: 91.5 x 16.9	in: 10 x 10 x 3⁄8 cm: 25.4 x 25.4 x 1	65 lbs./29.5 kg.		
176310	6" Round Bollard	10	in: 36 x 6% cm: 91.5 x 16.9	in: 10 x 10 x 3⁄8 cm: 25.4 x 25.4 x 1	40 lbs./18.2 kg.		
1764	6" Round Bollard Post	40	in: 42 x 6% cm: 106.7 x 16.8	in: 10 x 10 x 3⁄8 cm: 25.4 x 25.4 x 1	72 lbs./32.7 kg.		
176410	6" Round Bollard	10	in: 42 x 6% cm: 106.7 x 16.9	in: 10 x 10 x 3⁄8 cm: 25.4 x 25.4 x 1	44 lbs./20 kg.		
1769	6" Round Post Cap	40	Dia: in: 7 cm: 17.8	NA	2 lbs./1 kg.		



	Machine Guards - Schedule 10							
Model	Description	Sched.	Dimensions (h x w)	Plate Size	Weight			
176510	4" Low Profile Rack Guard	10	in: 9 x 36 cm: 22.9 x 91.4	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	30 lbs./13.6 kg.			
174510	4" Low Profile Rack Guard	10	in: 9 x 48 cm: 22.9 x 121.9	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	35 lbs./15.9 kg.			
174610	4" Machine Guard (low)	10	in: 24 x 36 cm: 61 x 91.4	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	46 lbs./20.8 kg.			
177010	4" Machine Guard (low)	10	in: 24 x 48 cm: 61 x 121.9	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	51 lbs./23.1 kg.			
177110	4" Machine Guard (high)	10	in: 42 x 36 cm: 106.7 x 91.4	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	60 lbs./27.3 kg.			
174710	4" Machine Guard (high)	10	in: 42 x 48 cm: 106.7 x 121.9	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	61 lbs./27.7 kg.			
177210	4" Rack Guard	10	in: 16 x 36 cm: 40.6 x 91.4	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	40 lbs./18.2 kg.			
177310	4" Rack Guard	10	in: 16 x 48 cm: 40.6 x 121.9	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	46 lbs./20.8 kg.			
177410	4" Machine Guard	10	in: 36 x 36 cm: 91.4 x 91.4	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	55 lbs./24.9 kg.			
177510	4" Machine Guard	10	in: 36 x 48 cm: 91.4 x 121.9	in: 8 x 8 x 3/8 cm: 20.4 x 20.4 x 1	60 lbs./27.3 kg.			

# Wall Protectors and Corner Protectors

Nall Protectors

1726 6" Wall Protector (set of two) in: 6 x 42 x 2 cm: 15.3 x 106.7 x 5.1 each 8 lbs./3.7 kg.

1728 10" Wall Protector (set of two) in: 10 x 42 x 2 cm; 25.4 x 106.7 x 5.1 each 14 lbs./6.4 kg.

## Wall Protectors

Our wall protectors help prevent damage to walls in areas with forklift, hand truck or drum traffic. These quards are made of high-visibility yellow, high-density polyethylene; never need painting; and resist cracking and chipping. Can be mounted end to end, and feature unique energy absorbing construction. (Set of two) (Anchors not included)

## **Corner Protectors**

HDPE Corner Protectors deflect the impact, helping to protect plant areas prone to damage by fork truck, hand truck or personnel traffic. Provide easy installation with bolts or optional straps (not provided). Two sizes to meet most needs sold in sets of two, inside measurement 4 in. (10.2 cm.) x 8 in. (20.3 cm.) and outside measurement 6 in. (15.2 cm.) x 10 in. (25.4 cm.).

Model 1726 6 in. (15 cm.) Wall Protector 6 in. x 42 in. x 2 in. (15 cm. x 106.7 cm. x 5.1 cm.) (each) (Sold as set of two) (Anchors not included)

Model 1725 42 in. (106.7 cm.) Corner Protector 42 in. x 6 in. x 10 in. (106.7 cm. x 15.2 cm. x 25.4 cm.) (each) (Sold as set of two) IM 4 in. (10.2 cm.) x 8 in. (20.3 cm.) OM 6 in. (15.2 cm.) x 10 in. (25.4 cm.)



# **Column Protectors**

Affordable protection for warehouse and factory columns, posts and beams. Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury. These blow-molded 100 percent high-density polyethylene protectors are resistant to most chemicals and feature key-lock to prevent slippage and assist with installation alignment. Available to fit 4 in. (10.2 cm.), 6 in. (15.2 cm.), 8 in. (20.3 cm.), 10 in. (25.4 cm.) and 12 in. (30.5 cm.) round or square supports. No tools required. Two halves attach with easy-to-install straps. Protectors come in yellow with black straps, and orange or lime green with high-visibility reflective straps. (Tested with fork truck: 8,500 lbs. (3855.5 kg.) at 5 mph (8 kph). Replace if damaged.)



Protector Model Model 1712 17120R

72 4-6 in. HDPE (10.2-15.2 cm.) Column V-Profile **100% Recyclable** 

# Mini Column Protectors

and is available in yellow with black

straps, and orange or lime green with high-visiblilty reflective straps.

Eagle's 'Mini' Column Protectors (Model 1724) are perfect for affordable warehouse and factory protection under fire extinguishers, and absorb impact from tow motors, minimizing column and fork truck damage. These blow-molded, 100 percent high-density polyethylene protectors feature key-locks to prevent slippage and assist installation alignment.

Two halves attach with easy-to-use straps with no tools required.

These models are designed to fit 6 in. (15.2 cm.), 8 in. (20.3 cm.), 10 in. (25.4 cm.) and 12 in. (30.5 cm.) round or square supports and are available in yellow or red. (Replace if damaged)





Model 1724-10

**64** sales@eagle-mfg.com

1720 21" Corner Protector (set of two) in: 21 x 6 x 10 cm: 53.3 x 15.2 x 25.4 each 10 lbs./4.6 kg. 1725 42" Corner Protector (set of two) in: 42 x 6 x 10 cm: 106.7 x 15.2 x 25.4 each 20 lbs./9.1 kg. 100% Recyclable

HDPE

21





#### Model 172412 RED 12 in. (30.5 cm.) Column Protector / 24 in. x 24 in. x 24 in. (61 cm. x 61 cm. x 61 cm.) Model 1712 Model 1710 Model 1709 Model 1708 Model 1706 **Hi-Vis Column Protectors** ¢ Ο Q 10" (25.4 cm.) 12"(30.5 cm.) 9" (22.9 cm.) 8" (20.3 cm.) 6" (15.2 cm.) Column Column Column Column Column Rack Guard The NEW Eagle Rack Guard is designed to help prevent rack and shelving damage from forklifts and pallet trucks. With a quick and easy snap on design, these models require no tools to install and can be stacked for a desired height to comply with the NEV international standard of 16" (40.6 cm.). The rack guard's narrow profile minimizes Model interference with valuable storage space. 1712LM **Rack Guard** in: 6 x 5 x 8 cm: 15.3 x 12.7 x 20.4 2 lbs./0.9 kg. 1702 in: 1.5 x 3 cm: 3.8 x 7.6 2 lbc /0 Q L

170	3 IN: 6 x 5 x 8 CM: 15.3 x 12.7 x 20.4	In: a	3 x 3 cm: /.b x /.b		Z IDS./U.9 Kg.	
	Yellow	Column F	Protectors			
Model	Item		Dimensions		Weight	
1704	Column Protector for 4-6" Column	in: 13 x 13 >	42 cm: 33.1 x 33.1	x 106.7	16 lbs./7.6 kg.	
1706	Column Protector for 6" Column	in: 24 x 24	1 x 42 cm: 61 x 61 x	106.7	40 lbs./18.2 kg.	
1708	Column Protector for 8" Column	in: 24 x 24	1 x 42 cm: 61 x 61 x	106.7	40 lbs./18.2 kg.	
1709	Column Protector for 9" Column	in: 24 x 24	1 x 42 cm: 61 x 61 x	106.7	40 lbs./18.2 kg.	
1710	Column Protector for 10" Column	in: 24 x 24	1 x 42 cm: 61 x 61 x	106.7	40 lbs./18.2 kg.	
1712	Column Protector for 12" Column	in: 24 x 24	1 x 42 cm: 61 x 61 x	106.7	40 lbs./18.2 kg.	
	Hi-Vis (	Column F	rotectors			
Model	Item		Dimensi	ons	Weight	
1706LM	Column Protector for 6" Column-Lime w/F	Reflective	in: 24x24x42 cm: 6	1x61x106.7	40 lbs./18.2 kg	
1706OR	Column Protector for 6" Column-Orange w	/Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
1708LM	Column Protector for 8" Column-Lime w/F	Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
17080R	Column Protector for 8" Column-Orange w	/Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
1709LM	Column Protector for 9" Column-Lime w/F	Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
17090R	Column Protector for 9" Column-Orange w	v/Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
1710LM	Column Protector for 10" Column-Lime w/	Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
17100R	Column Protector for 10" Column-Orange	w/Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
1712LM	Column Protector for 12" Column-Lime w/	Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
17120R	Column Protector for 12" Column-Orange	w/Reflective	in: 24x24x42 cm: 61	x61x106.7	40 lbs./18.2 kg	
	Mini C	olumn Pi	rotectors			
Model	Item		Dimensions		Weight	
17246	Column Protector for 6" Column, Yello	w in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
17246R	ED Column Protector for 6" Column, Red	in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
17248	Column Protector for 8" Column, Yello	w in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
17248RE	ED Column Protector for 8" Column, Red	in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
172410	Column Protector for 10" Column, Yell	low in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
172410F	RED Column Protector for 10" Column, Rec	d in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
172412	Column Protector for 12" Column, Yell	low in: 24	1 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	
172412F	RED Column Protector for 12" Column, Rec	d in: 24	4 x 24 x 24 cm: 61 x	61 x 61	30 lbs./13.6 kg.	

## **GUARDS & PROTECTORS**

LNMM

UV

INHIBITORS

# Eagle offers the widest selection of HDPE Bollard Post Sleeves available

Eagle's HDPE Bollard Post Sleeves make old bollards look like new. High Density Polyethylene (HDPE) construction with UV inhibitors resist fading, rusting and cracking. The post sleeves are designed to easily fit over 4 in. (10.2 cm.), 6 in. (15.2 cm.) and 8 in. (20.3 cm.) NPT pipe and eliminate the need for annual maintenance, while helping to protect vehicles and the post from impact damage. The unique design allows for easy slide-on installation.

## Benefits of all Eagle HDPE Post Sleeves:

- · Improves property appearance at minimal cost
- · Saves on annual painting and scraping of old bollards
- Slides over existing posts for easy installation
- High-quality, all-weather HDPE will not rust or dent
- Fade resistant with UV inhibitors
- Colors to match many exteriors
- Sleeve height may be easily trimmed for an exact fit
- HDPE thickness

# Original HDPE Bumper Post Sleeves

The Original HDPE Bumper Post Sleeves have a vertical fluted design to provide extra protection and easier installation. They come 56 in. (142.24 cm.) in length (to fit 4 in./10.2 cm., 6 in./15.2 cm. and 8 in./20.3 cm. pipe) and are available in yellow, red, blue, white, green, orange, lime, brown and black. The 72 in. (182.9 cm.) length Bumper Post Sleeves (to fit 6 in./15.2 cm. and 8 in./20.3 cm. pipe) are available in yellow only. Sleeve height may be easily trimmed for an exact fit.



**Model 1730BR** 6" (15.2 cm.) (Brown) Bollard Post Sleeve







HDPE


100% Recyclable



Eagle e-CART

# HDPE Smooth Bollard Post Sleeves

Eagle's Smooth Bollard Post Sleeves are available to fit over 4 in. (10.2 cm.), 6 in. (15.2 cm.) and 8 in. (20.3 cm.) pipe and are available in red, yellow, blue and white (available in other colors for quantity orders). The smooth sleeves are 56 in. (142.2 cm.) in length and provide the same maintenance-free protection as the original bumper post sleeves. Sleeve height may be easily trimmed for an exact fit.



## HDPE Smooth Bollard Post Sleeves with Reflective Stripes

New to the Eagle Bollard Post Sleeve family are the HDPE Smooth Bollard Post Sleeves with reflective stripes. Keep your facility safe and protected with sleeves to fit over 4 in. (10.2 cm.), 6 in. (15.2 cm.) and 8 in. (20.3 cm.) pipe in HDPE yellow with two red stripes, or red with two white stripes. Sleeve height may be easily trimmed for an exact fit.

# Smooth Post Sleeves with Reflective Strip Size I.D. O.D. Height Red Yello 4" in: 4% cm: 12.1 in: 5% cm: 13.4 in: 56 cm: 142.3 1735RWS 1735Y 6" in: 6% cm: 17.5 in: 7% cm: 18.8 in: 56 cm: 142.3 1736RWS 1736Y 8" in: 8% cm: 22.6 in: 9% cm: 23.9 in: 57 cm: 144.8 1737RWS 1737Y

## Features:

- Industrial Waste Cart Constructed of durable HDP Ergonomically designed har
  - HDPE wheels on a heavy du
  - 65 Gallon (246 L) Double-walled hinged lid w
    - Rugged galvanized steel bar
      Wear tabs on the bottom

#### Eagle e-CART Wheeled Industrial Model Description

 1696BLK
 Eagle e-CART Wheeled Industrial W

 1696GN
 Eagle e-CART Wheeled Industrial W

 1697BLK
 Eagle e-CART Wheeled Industrial W

 1697GN
 Eagle e-CART Wheeled Industrial W

	Bumper Post Sleeves												
Size	I.D.	0.D.	Height	Red	White	Yellow	Green	Orange	Lime	Brown	Black	Blue	Weight
4"	in: 4¾ cm: 12.1	in: 5¾ cm: 14.6	in: 56 cm: 142.3	1732R	1732W	1732	1732GN	17320R	1732LM	1732BR	1732BLK	1732BL	5 lbs./2.3 kg.
6″	in: 6 <sup>7</sup> /8 cm: 17.5	in: 71/8 cm: 20	in: 56 cm: 142.3	1730R	1730W	1730	1730GN	17300R	1730LM	1730BR	1730BLK	1730BL	8 lbs./3.7 kg.
8″	in: 81/18 cm: 22.5	in: 10 cm: 25.4	in: 57 cm: 144.8	1738R	1738W	1738	1738GN	17380R	1738LM	1738BR	1738BLK	1738BL	9 lbs./4.1 kg.
6"	in: 6 <sup>7</sup> /8 cm: 17.5	in: 7% cm: 20	in: 72 cm: 182.9	-	-	173072	-	-	-	-	-	-	11 lbs./5 kg.
8″	in: 81/8 cm: 22.5	in: 10 cm: 25.4	in: 72 cm: 182.9	-	-	173872	-	-	-	-	-	-	15 lbs./6.8 kg.

Yellow only

66 sales@eagle-mfg.com

Red

Yellow

Model 173872

8" x 72" (20.3 cm. x 182.9 cm.)

Brown

Model 1730

(15.2 cm. x 142.3 cm.)

Green Orange

Model 1738

(20.3 cm. x 144.8 cm.)

Lime

Model 173072

6" x 72" (15.2 cm x 182.9 cm.)

Model 1732

(10.2 cm. x 142.3 cm.)

Blue

Smooth Post Sleeves								
Height	Red	Yellow	Blue	White	Weight			
in: 56 cm: 142.3	1735R	1735	1735BL	1735W	4 lbs./1.8 kg.			
in: 56 cm: 142.3	1736R	1736	1736BL	1736W	6 lbs./2.8 kg.			
in: 57 cm: 144.8	1737R	1737	-	-	8 lbs./3.7 kg.			



**Model 1736** - 6 in. (15.2 cm.) Smooth Post Sleeve 6.875 in. x 56 in. (142.3 cm.)

## **Decorative Post Sleeves**

Beautiful HDPE post sleeves slip over 4 in. (10.2 cm.) x 4 in. (10.2 cm.) wooden or steel posts or can be used free standing with optional rubber base. Available in three styles. Includes 6 ft. (182.9 cm.) of poly chain.



Golf Hitching Traditions Post

Post

Golf Traditions also available in white for

use as 150-vd. marker

y	Model	ArmorKraft™ Description	Decorative Post Sleeve Dimensions (base dia. x h.)	Weight
pes           llow         Weight           5YRS         4 lbs./1.8 kg.           6YRS         6 lbs./2.8 kg.           7YRS         8 lbs./3.7 kg.	1713BLK 1714BLK/1714V 1715BLK 1719BLK/1719V 1718BASE	Hitching Post	in: 12½ x 37 cm: 31.8 x 94 in: 12½ x 37 cm: 31.8 x 94 in: 12½ x 43 cm: 31.8 x 109.2 it 6 ft. / 182.8 cm. long in: 12 x 2% cm: 30.5 x 10.2	10 lbs./4.5 kg. 10 lbs./4.5 kg. 10 lbs./4.5 kg. 1 lb./0.5 kg. 10 lbs./4.5 kg.
PE andles duty steel axle with a hold-down tab ar handles	<b>Model 165</b> 65 Gallon (2			7
Waste Container Capacity	Color	Weight	ALISI	
Waste Container65 gal./246Waste Container65 gal./246Waste Container95 gal./359.6Waste Container95 gal./359.6	L Green 3. L Black 3	2 lbs./14.5 kg. 2 lbs./14.5 kg. 8 lbs./17.2 kg. 8 lbs./17.2 kg.	Model 1697BLK 95 Gallon (359.6 L)	

## **TRAFFIC SAFETY PRODUCTS**


## Protective Parking Stops & Speed Bump-Cable Protectors

Eagle Parking Stops, designed with safety and durability in mind, eliminate the need for seasonal painting. Flexible enough to fit parking lot contours - the rugged HDPE Stops are weather and chemical resistant. Eagle offers four colors - the high-visibility yellow, blue for handicapped areas, gray and black. Anchor kit with three spikes and tube of asphalt adhesive included.

Eagle Speed Bump-Cable Protectors add safety to your facility. The high-visibility yellow bumps are engineered at the perfect angle. They also act as a dual channel cable protector, feature a non-skid surface, and are weather and chemical resistant. HDPE construction means you eliminate the need to continually paint bumps. The 6 ft. (22.7 cm.) anchor kit includes six spikes and a tube of asphalt adhesive. The 9 ft. (34.1 cm.) anchor kit includes eight spikes and a tube of asphalt adhesive.

Protective Parking Stops							
Model	Description	Dime	nsions (w x h x l)	Weight			
1790Y	Parking Stop-Yellow	in: 8 x 4 x 72	cm: 20.3 x 10.2 x 182.9	15 lbs./6.8 kg.			
1790B	Parking Stop-Blue	in: 8 x 4 x 72	cm: 20.3 x 10.2 x 182.9	15 lbs./6.8 kg.			
1790G	Parking Stop-Gray	in: 8 x 4 x 72	cm: 20.3 x 10.2 x 182.9	15 lbs./6.8 kg.			
1790BLK	Parking Stop-Black	in: 8 x 4 x 72	cm: 20.3 x 10.2 x 182.9	15 lbs./6.8 kg.			

Speed Bump-Cable Protectors							
Model	Description	Dimensions (w x l x h)	Weight	Load*			
1792	6' Speed Bump-Cable Guard	in: 10 x 72 x 2 cm: 25.4 x 182.9 x 5.1	20 lbs./9.1 kg.	20,000 lbs./9,071 kg.			
1793	9' Speed Bump-Cable Guard	in: 10 x 108 x 2 cm: 25.4 x 274.4 x 5.1	25 lbs./11.4 kg.	20,000 lbs./9,071 kg.			




### Model 1790Y Parking Stop - Yellow in: 8W x 4H x 72L/cm: 20.3W x 10.2H x 182.9L



**Inside Channel Dimensions:** 

in: 1 25W x 0 875H/cm: 3 2W x 2 2H

Model 1792 6 ft. Speed Bump -Cable Guard/in: 10W x 2H x 72L cm: 25.4W x 5.1H x 182.9L



\*Load Tested to 20,000 lbs./9,061 kg. per Pneumatic Tire Model 1793 9 ft. Speed Bump - Cable Guard Kit/in: 10W x 2H x 108L cm: 25.4W x 5.1H x 274.4L - Two 4.5 ft. (137 cm) sections \*Pre-drill concrete for installation

## Poly Guide-Post Delineators™ & Poly Bollard Posts

### Poly Guide-Post Delineators™

Lightweight, portable, yieldable HDPE posts used to warn, guide and delineate. Feature 3 in. (11.4 cm.) - wide reflective bands for increased visibility and are MUTCD compliant. Posts are mounted on a 10 in. (37.9 cm.) sq. poly plate with anchor slots (3/4 in./2.8 cm.) for permanent use or used with steel base for portable stability.

## **Poly Bollard Posts**

Create a low-cost, maintenance-free caution zone. These 42 in. (159 cm.) – high poly bollards are available in a 5 in. (18.9 cm.) or 7 in. (26.5 cm.) model with a poly base with anchor slots ( $\frac{3}{4}$  in./2.8 cm.) that can be anchored for maximum stability or used with optional weighted steel base.



Poly Guide-Post Delineators Poly Bollard Posts

Poly Guide-Post Delineators						
Model	Description	Dimensions (w x h)	Weight			
1734Y	Poly Guide-Post Delineator-Yellow	in: 5.75 x 42 cm: 14.6 x 106.7	6 lbs./2.7 kg.			
1734LM	Poly Guide-Post Delineator-Lime	in: 5.75 x 42 cm: 14.6 x 106.7	6 lbs./2.7 kg.			
17340R	Poly Guide-Post Delineator-Orange	in: 5.75 x 42 cm: 14.6 x 106.7	6 lbs./2.7 kg.			
Poly Bollards/Posts						
Model	Description	Dimensions (w x h)	Weight			
1731	5" Poly Bollard	in: 5 x 42 cm: 12.7 x 106.7	5 lbs./2.3 kg.			
1733	7" Poly Bollard	in: 7 x 42 cm: 17.8 x 106.7	8 lbs./3.6 kg.			
1731BASE	Steel Weighted Base for 1731, 1733 & 1	734 in: 10 x 10 x 3.75 cm: 25.4 x 25.4 x 9.6	12 lbs./5.4 kg			

# All-in-one Steel Bollard Post & Poly Post Sleeve Combos!

These combos bring you the security of our <sup>1</sup>/<sub>4</sub>" (.9 cm.) thick steel Bollards, packaged with the protection and zero maintenance of our smooth Poly Post Sleeves. The combos are available in round 4" (15.1 cm.) and 6" (22.7 cm.) bollard/sleeves 36" (136.3 cm.) high and 42" (159 cm.) high. Each combo includes a foam installation kit for a perfect fit! Kit may be ordered separately.



7 in./17 cm. diameter Model No. 1781

# Safety Clearance Bars

Eagle introduces two safety clearance bars for use in drive-thrus, parking garages and much more. Clearance Bars provide an early warning for motorists, reducing structural and vehicle damage. This is even more necessary as SUVs and pickups have grown in size. The Clearance Bars are constructed of high-visibility yellow polyethylene and are available in 76 in. (193 cm.) and 77 in. (195.6 cm.) lengths in either 5 in. (12.7 cm.) or 7 in. (17.8 cm.) outside diameter. Both come with eyebolts for easy installation (chain not included).

Clearance Bars						
Model	Description	Dimensions (dia x I)	Weight			
1780	5" Clearance Bar	in: 5 x 76 cm: 12.7 x 193.1	7 lbs./3.2 kg.			
1781	7" Clearance Bar	in: 7 x 77 cm: 17.8 x 195.6	9 lbs./4.1 kg.			








Model 1781 Clearance Bar / in: 7 in. dia. x 77 in. L cm: 17 x 195.6

### **POLY DOCKPLATES & RAMPS**

MODELS



Model Numbers	1794	1795	1797	1796	1795C
Name	Poly Curb Ramp	Portable Poly Dockplate 35"	Portable Poly Dockplate 48"	Fixed Poly Dockplate	Shipping Conta
<b>Dimension</b> W x L x H	in: 27 x 27 x 4 cm: 68.6 x 68.6 x 10.2	in: 35 x 36 x 5 cm: 89 x 91.5 x 12.7	in: 48 x 36 x 5 cm: 122 x 91.5 x 12.7	in: 35 x 26 x 5 cm: 89 x 66.1 x 12.7	in: 35 x 3 cm: 89 x 91.
Weight	9 lbs./4.1 kg.	37 lbs./16.8 kg.	40 lbs./18.2 kg.	20 lbs./9.1 kg.	25 lbs./11
Max Load Uniform Distributed Load (UDL)	1,000 lbs./453.6 kg.	750 lbs./340.2 kg.	750 lbs./340.2 kg.	1,000 lbs./453.6 kg.	750 lbs./34
Height Diff.	8 in./20.3 cm.	4 in./10.2 cm.	4 in./10.2 cm.	4 in./10.2 cm.	10 in./25.4

- For use with hand trucks or wheeled carts
- Provides an ergonomically correct method to move heavy loads over curbs or up steps
- Raised surface for excellent traction in all weather conditions
- 1in. (2.5 cm.) side rails
- Constructed of yellow HDPE
- Lightweight (9 lbs./4.1 kg.) with two handles with rounded edges for easy pickup, carrying and handling
- Ramp also used with Eagle Safety -Cabinets as cabinet ramp

For Models	1795 <b>&amp;</b>	1797
------------	-------------------	------

- For use with two- and four-wheeled dollies, hand trucks and carts
- Lightweight, ergonomic design is easy to use
- Raised surface for excellent traction in all weather conditions
- Beveled entry and exit edges
- Aluminum legs for durability and strength
- Constructed of yellow HDPE
- Two integrated handles for easy handling
- Available in 35 in. (89 cm.) and 48 in. (122 cm.) widths Compliance: Meets OSHA 1910.30(a)



- Lift-n-lower ergonomic design helps reduce injuries
- Features molded-in, raised surface and integrated side rails
- Coated steel installation kit installs easily on metal or concrete dock facings
- 6 in. (15.3 cm.) slide bar for easy truck centering or out-of-the-way storage



1796KIT Fixed Poly Dockplate Installation Kit (Sold separately)

- For use with hand trucks and
- Features a hook rail that attaches to the doorkeepers for secure, across the width of the ramp,









## Eagle Airplane Service Ramp Model 1791Y

### 5CR

## ntainer Ramp

x 36 x 6 91.5 x 15.3

/11.4 kg.

/340.2 kg.

25.4 cm.

# dollies for loading and unloading

three-point contact and support as well as a tab that inserts into the keepers to help prevent lateral movement of the ramp during use

Two integrated handles for easy handling

Rubber beveled entry and exit edges

22 in./ 55.9 cm

extured urface



Eagle's new Airplane Service Ramp is constructed of durable, lightweight, high-density polyethylene (HDPE) for use in transferring service carts from the service vehicle into the aircraft. This ramp features a lightweight (28 lbs./12.7 kg.) ergonomic design with a raised textured surface, beveled entry and exit edges, high-visibility yellow HDPE, fulllength guardrails with integrated handles for easy handling and a 1,000-lb. (453.6 kg.) load capacity (UDL).100 percent made in the USA.

Airplane Service Ramp – Yellow				
Model	Description			Load
1791Y	Airplane Service Ramp Y		in: 60 x 22 x 7 cm: 152.4 x 55.9 x 17.8	lbs: 1,000 ka: 453.6
Packing Dimensions: in: 61 x 23 x 8/cm: 154.9 x 58.4 x 20.3				



PROTECTING PEOPLE, PROPERTY AND THE PLANET® Since 1894





FREE! compliance solutions guide

**C.L.A.W.S.** is a compliance evaluation system utilized to promote employee and public safety, property protection and environmental conservation by specifying approved products that meet specific federal regulations concerning containment, liquid handling, waste management and safety storage of hazardous materials. Go to our website to request a **FREE C.L.A.W.S.** guide.

eagle-mfg.com

Eagle Manufacturing Company, established in 1894, is a prime manufacturer of Safety Cans, Safety Cabinets, Secondary Spill Containment, Poly Drums and Material Handling Protective Products. Eagle designs and manufactures all of its own products. Eagle is certified to the ISO-9001 Quality System and is the most respected brand name for consistent quality and value.

Eagle is the leading supplier of these products, offering a large selection of the industrial safety and material handling products for contractors, manufacturers, utilities, military, professional, government, printing, chemical, fabricators, transportation, textile mills, automotive, agricultural, medical, oil and gas, electrical and other industrial and commercial customers.

Eagle products are "Compliance Solutions" that help industry meet strict state and federal regulations concerning the handling and storage of hazardous materials.